

Colloids and Surfaces
EVIER A: Physicochemical and Engineering Aspects 163 (2000) 315–316

COLLOIDS AND SURFACES

www.elsevier.nl/locate/colsurfa

Contents of Volume 163

Vol. 163 No. 1

Preface		1
On the nanoparticle synthesis in microemulsions: detailed characterization of an app	olied reaction mixture	
M. Lade (Berlin, Germany), H. Mays (Uppsala, Sweden), J. Schmidt (Berlin,		
Germany) and R. Schomäcker (Berlin, Germany)		3
Adsorption and stability of colloidal silica		
S. Schwarz, K. Lunkwitz, B. Keßler (Dresden, Germany), U. Spiegler, E. Killman	in (Garching, Germany) and W. Jaeger	
(Teltow, Germany)		17
Synthetic boundary crystallization ultracentrifugation: a new method for the obse	ervation of nucleation and growth of	
inorganic colloids and the determination of stabilizer efficiencies		
L. Börger, H. Cölfen and M. Antonietti (Potsdam, Germany)		29
Formation of luminescent spherical core-shell particles by the consecutive adsor-	ption of polyelectrolyte and CdTe(S)	
nanocrystals on latex colloids		
A.S. Susha, F. Caruso (Potsdam, Germany), A.L. Rogach (Hamburg, German	ny), G.B. Sukhorukov (Potsdam, Ger-	
many), A. Kornowski (Hamburg, Germany), H. Möhwald (Potsdam, Germany), M. Giersig (Berlin, Germany), A.	
Eychmüller and H. Weller (Hamburg, Germany)		39
Adsorption of polyelectrolytes onto oxides — the influence of ionic strength, molar	mass, and Ca ²⁺ ions	
K. Vermöhlen, H. Lewandowski, HD. Narres and M.J. Schwuger (Jülich, Ger	many)	45
Non metallic restorative materials based on glass ionomer cements — recent trends	s and developments	
R. Zimehl and M. Hannig (Kiel, Germany)		55
Influence of the ionic strength on the structure of polyelectrolyte films at the solid/	*	
R. Steitz (Berlin, Germany), V. Leiner, R. Siebrecht (Grenoble, France) and R.		63
Interaction of short DNA fragments with the cationic polyelectrolyte poly(ethylene i		
T. Hellweg (Chemnitz, Germany), N. Henry-Toulmé, M. Chambon and D. Rou		71
Influence of temperature and oil-to-surfactant ratio on micellar growth in aqueous		
U. Menge, P. Lang and G.H. Findenegg (Berlin, Germany)		81
Surface effects of lyotropic liquid crystalline phases of nonionic surfactants		01
P. Lang, R. Steitz (Berlin, Germany) and C. Braun (Mainz, Germany)		91
Bulk structure and surface activity of semifluorinated alkanes		102
P. Marczuk, P. Lang (Berlin, Germany) and M. Möller (Ulm/Donau, Germany		103
Calendar		115
V-1 162 No. 2 2		
Vol. 163 Nos 2-3		
Mechanochemical degradation of 2,4-D adsorbed on synthetic birnessite		
A. Nasser (New Brunswick, NJ, USA), G. Sposito (Berkeley, CA, USA) and M.	A. Cheney (New Brunswick, NJ, USA)	117
Adsorption of Cu ²⁺ ions onto silica surface from aqueous solutions containing org		
N.N. Vlasova (Kiev, Ukraine)		125
The influence of activated carbon surface chemical composition on the adsorption o	f acetaminophen (paracetamol) in vitro:	
The temperature dependence of adsorption at the neutral pH		
A.P. Terzyk and G. Rychlicki (Torun, Poland)		135
Separation of emulsions using fibrous fabric		151
B.J. Briscoe, P.F. Luckham, J.N. Jayarajah and T. Akeju (London, UK)		151
The interaction of cationic and anionic vesicles with zinc citrate dispersions C. Catuogno and M.N. Jones (Manchester, UK)		165
Effect of the counterions on the surface properties of surfactant solutions: kinetics of	the surface tension and surface potential	200
I.U. Vakarelski and C.D. Dushkin (Sofia, Bulgaria)		177

DJ. Qian, HG. Liu and J. Jiang (Jinan, PR China). Surface properties and catalytic conversion of cyclohexane over carbon supported bimetallic catalysts S.E. Samra (Mansoura, Egypt), E.A. El Sharkawy (Al-Arish, Egypt) and A.M. Youssef (Mansoura, Egypt). Langmuir isotherms for enantioselective complexation of (ρ/L)-phenylalanine by cholesteryl-L-glutamate in nonionic micelles P.E.M. Overdevest, A. van der Padt (Wageningen, The Netherlands), J.T.F. Keurentjes (Eindhoven, The Netherlands) and K. van 't Riet (Wageningen, The Netherlands) Flocculation and characterization of protein by anionic copolymer containing reactive functional groups J. Yu, H. Liu and J. Chen (Beijing, PR China). Direct observation of ruthenium complex adsorption at the glass/water interface studied by optical second harmonic generation Y. Yamada, T. Nakano, K. Yamada, T. Matsuo and S. Yamada (Fukuoka, Japan). Liquid drop spreading on solid surfaces at low impact speeds Y. Gu and D. Li (Edmonton, Alberta, Canada) Long-range attraction between silanated silica materials studied by an electrolyte titration with atomic force microscopy D.E. Aston and J.C. Berg (Seattle, WA, USA). The interaction of vitamin K₁ with phospholipid membranes Y. Asai (Gifu, Japan). Effects of cationic micelles on the rate of intramolecular general base-catalyzed reaction of ionized phenyl salicylate (PS⁻) with Tris(hydroxymethyl)aminomethane (Tris) M. Niyaz Khan, Z. Arifin, I.A. Wahab, S.F.M. Ali and E. Ismail (Kuala Lumpur, Malaysia) Initial steps of ligand-promoted dissolution of gibbsite E. Molis, O. Barrès, H. Marchand, E. Sauzéat (Vandoeuvre, France), B. Humbert (Villers les Nancy, France) and F. Thomas (Vandoeuvre, France) Micellar kinetics of hydrolysis of hydroxamic acids in zwitterionic sulfobetaine surfactants K.K. Ghosh, A. Pandey and S. Roy (Raipur, India). Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan)	Monolayers and Langmuir-Blodgett films of (phthalocyaninato)(tetra-4-pyridylporphyrinato)cerium double-decker hetero- complex	
S.E. Samra (Mansoura, Egypt), E.A. El Sharkawy (Al-Arish, Egypt) and A.M. Youssef (Mansoura, Egypt) Langmuir isotherms for enantioselective complexation of (D/L)-phenylalanine by cholesteryl-L-glutamate in nonionic micelles P.E.M. Overdevest, A. van der Padt (Wageningen, The Netherlands), J.T.F. Keurentjes (Eindhoven, The Netherlands) and K. van 't Riet (Wageningen, The Netherlands). Flocculation and characterization of protein by anionic copolymer containing reactive functional groups J. Yu, H. Liu and J. Chen (Beijing, PR China). Direct observation of ruthenium complex adsorption at the glass/water interface studied by optical second harmonic generation Y. Yamada, T. Nakano, K. Yamada, T. Matsuo and S. Yamada (Fukuoka, Japan) Liquid drop spreading on solid surfaces at low impact speeds Y. Gu and D. Li (Edmonton, Alberta, Canada) Long-range attraction between silanated silica materials studied by an electrolyte titration with atomic force microscopy D.E. Aston and J.C. Berg (Seattle, WA, USA) The interaction of vitamin K₁ with phospholipid membranes Y. Asai (Gifu, Japan). Effects of cationic micelles on the rate of intramolecular general base-catalyzed reaction of ionized phenyl salicylate (PS⁻) with Tris(hydroxymethyl)aminomethane (Tris) M. Niyaz Khan, Z. Arifin, I.A. Wahab, S.F.M. Ali and E. Ismail (Kuala Lumpur, Malaysia) Initial steps of ligand-promoted dissolution of gibbsite E. Molis, O. Barrès, H. Marchand, E. Sauzéat (Vandoeuvre, France), B. Humbert (Villers les Nancy, France) and F. Thomas (Vandoeuvre, France). Micellar kinetics of hydrolysis of hydroxamic acids in zwitterionic sulfobetaine surfactants K.K. Ghosh, A. Pandey and S. Roy (Raipur, India). Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan) Calendar Author Index Subject Index		191
Langmuir isotherms for enantioselective complexation of (D/L)-phenylalanine by cholesteryl-L-glutamate in nonionic micelles P.E.M. Overdevest, A. van der Padt (Wageningen, The Netherlands), J.T.F. Keurentjes (Eindhoven, The Netherlands) and K. van 't Riet (Wageningen, The Netherlands) Flocculation and characterization of protein by anionic copolymer containing reactive functional groups J. Yu, H. Liu and J. Chen (Beijing, PR China). Direct observation of ruthenium complex adsorption at the glass/water interface studied by optical second harmonic generation Y. Yamada, T. Nakano, K. Yamada, T. Matsuo and S. Yamada (Fukuoka, Japan) Liquid drop spreading on solid surfaces at low impact speeds Y. Gu and D. Li (Edmonton, Alberta, Canada) Long-range attraction between silanated silica materials studied by an electrolyte titration with atomic force microscopy D.E. Aston and J.C. Berg (Seattle, WA, USA) The interaction of vitamin K₁ with phospholipid membranes Y. Asai (Gifu, Japan). Effects of cationic micelles on the rate of intramolecular general base-catalyzed reaction of ionized phenyl salicylate (PS⁻) with Tris(hydroxymethyl)aminomethane (Tris) M. Niyaz Khan, Z. Arifin, I.A. Wahab, S.F.M. Ali and E. Ismail (Kuala Lumpur, Malaysia) Initial steps of ligand-promoted dissolution of gibbsite E. Molis, O. Barrès, H. Marchand, E. Sauzéat (Vandoeuvre, France), B. Humbert (Villers les Nancy, France) and F. Thomas (Vandoeuvre, France). Micellar kinetics of hydrolysis of hydroxamic acids in zwitterionic sulfobetaine surfactants K.K. Ghosh, A. Pandey and S. Roy (Raipur, India). Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan) Calendar Author Index. Subject Index.	Surface properties and catalytic conversion of cyclohexane over carbon supported bimetallic catalysts	
P.E.M. Overdevest, A. van der Padt (Wageningen, The Netherlands), J.T.F. Keurentjes (Eindhoven, The Netherlands) and K. van 't Riet (Wageningen, The Netherlands) Flocculation and characterization of protein by anionic copolymer containing reactive functional groups J. Yu, H. Liu and J. Chen (Beijing, PR China). Direct observation of ruthenium complex adsorption at the glass/water interface studied by optical second harmonic generation Y. Yamada, T. Nakano, K. Yamada, T. Matsuo and S. Yamada (Fukuoka, Japan) Liquid drop spreading on solid surfaces at low impact speeds Y. Gu and D. Li (Edmonton, Alberta, Canada) Long-range attraction between silanated silica materials studied by an electrolyte titration with atomic force microscopy D.E. Aston and J.C. Berg (Seattle, WA, USA) The interaction of vitamin K₁ with phospholipid membranes Y. Asai (Gifu, Japan). Effects of cationic micelles on the rate of intramolecular general base-catalyzed reaction of ionized phenyl salicylate (PS⁻) with Tris(hydroxymethyl)aminomethane (Tris) M. Niyaz Khan, Z. Arifin, I.A. Wahab, S.F.M. Ali and E. Ismail (Kuala Lumpur, Malaysia) Initial steps of ligand-promoted dissolution of gibbsite E. Molis, O. Barrès, H. Marchand, E. Sauzéat (Vandoeuvre, France), B. Humbert (Villers les Nancy, France) and F. Thomas (Vandoeuvre, France) Micellar kinetics of hydrolysis of hydroxamic acids in zwitterionic sulfobetaine surfactants K.K. Ghosh, A. Pandey and S. Roy (Raipur, India). Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan) Calendar Author Index Subject Index.	S.E. Samra (Mansoura, Egypt), E.A. El Sharkawy (Al-Arish, Egypt) and A.M. Youssef (Mansoura, Egypt)	199
Flocculation and characterization of protein by anionic copolymer containing reactive functional groups J. Yu, H. Liu and J. Chen (Beijing, PR China). Direct observation of ruthenium complex adsorption at the glass/water interface studied by optical second harmonic generation Y. Yamada, T. Nakano, K. Yamada, T. Matsuo and S. Yamada (Fukuoka, Japan) Liquid drop spreading on solid surfaces at low impact speeds Y. Gu and D. Li (Edmonton, Alberta, Canada) Long-range attraction between silanated silica materials studied by an electrolyte titration with atomic force microscopy D.E. Aston and J.C. Berg (Seattle, WA, USA) The interaction of vitamin K₁ with phospholipid membranes Y. Asai (Gifu, Japan). Effects of cationic micelles on the rate of intramolecular general base-catalyzed reaction of ionized phenyl salicylate (PS⁻) with Tris(hydroxymethyl)aminomethane (Tris) M. Niyaz Khan, Z. Arifin, I.A. Wahab, S.F.M. Ali and E. Ismail (Kuala Lumpur, Malaysia) Initial steps of ligand-promoted dissolution of gibbsite E. Molis, O. Barrès, H. Marchand, E. Sauzéat (Vandoeuvre, France), B. Humbert (Villers les Nancy, France) and F. Thomas (Vandoeuvre, France) Micellar kinetics of hydrolysis of hydroxamic acids in zwitterionic sulfobetaine surfactants K.K. Ghosh, A. Pandey and S. Roy (Raipur, India). Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan) Calendar Author Index Subject Index	P.E.M. Overdevest, A. van der Padt (Wageningen, The Netherlands), J.T.F. Keurentjes (Eindhoven, The Netherlands)	209
J. Yu, H. Liu and J. Chen (Beijing, PR China). Direct observation of ruthenium complex adsorption at the glass/water interface studied by optical second harmonic generation Y. Yamada, T. Nakano, K. Yamada, T. Matsuo and S. Yamada (Fukuoka, Japan). Liquid drop spreading on solid surfaces at low impact speeds Y. Gu and D. Li (Edmonton, Alberta, Canada) Long-range attraction between silanated silica materials studied by an electrolyte titration with atomic force microscopy D.E. Aston and J.C. Berg (Seattle, WA, USA). The interaction of vitamin K₁ with phospholipid membranes Y. Asai (Gifu, Japan). Effects of cationic micelles on the rate of intramolecular general base-catalyzed reaction of ionized phenyl salicylate (PS⁻) with Tris(hydroxymethyl)aminomethane (Tris) M. Niyaz Khan, Z. Arifin, I.A. Wahab, S.F.M. Ali and E. Ismail (Kuala Lumpur, Malaysia) Initial steps of ligand-promoted dissolution of gibbsite E. Molis, O. Barrès, H. Marchand, E. Sauzéat (Vandoeuvre, France), B. Humbert (Villers les Nancy, France) and F. Thomas (Vandoeuvre, France). Micellar kinetics of hydrolysis of hydroxamic acids in zwitterionic sulfobetaine surfactants K.K. Ghosh, A. Pandey and S. Roy (Raipur, India). Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan) Calendar Author Index Subject Index		20,
Direct observation of ruthenium complex adsorption at the glass/water interface studied by optical second harmonic generation Y. Yamada, T. Nakano, K. Yamada, T. Matsuo and S. Yamada (Fukuoka, Japan) Liquid drop spreading on solid surfaces at low impact speeds Y. Gu and D. Li (Edmonton, Alberta, Canada) Long-range attraction between silanated silica materials studied by an electrolyte titration with atomic force microscopy D.E. Aston and J.C. Berg (Seattle, WA, USA) The interaction of vitamin K₁ with phospholipid membranes Y. Asai (Gifu, Japan) Effects of cationic micelles on the rate of intramolecular general base-catalyzed reaction of ionized phenyl salicylate (PS⁻) with Tris(hydroxymethyl)aminomethane (Tris) M. Niyaz Khan, Z. Arifin, I.A. Wahab, S.F.M. Ali and E. Ismail (Kuala Lumpur, Malaysia) Initial steps of ligand-promoted dissolution of gibbsite E. Molis, O. Barrès, H. Marchand, E. Sauzéat (Vandoeuvre, France), B. Humbert (Villers les Nancy, France) and F. Thomas (Vandoeuvre, France). Micellar kinetics of hydrolysis of hydroxamic acids in zwitterionic sulfobetaine surfactants K.K. Ghosh, A. Pandey and S. Roy (Raipur, India). Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan) Calendar Author Index Subject Index.		225
generation Y. Yamada, T. Nakano, K. Yamada, T. Matsuo and S. Yamada (Fukuoka, Japan) Liquid drop spreading on solid surfaces at low impact speeds Y. Gu and D. Li (Edmonton, Alberta, Canada) Long-range attraction between silanated silica materials studied by an electrolyte titration with atomic force microscopy D.E. Aston and J.C. Berg (Scattle, WA, USA) The interaction of vitamin K₁ with phospholipid membranes Y. Asai (Gifu, Japan) Effects of cationic micelles on the rate of intramolecular general base-catalyzed reaction of ionized phenyl salicylate (PS⁻) with Tris(hydroxymethyl)aminomethane (Tris) M. Niyaz Khan, Z. Arifin, I.A. Wahab, S.F.M. Ali and E. Ismail (Kuala Lumpur, Malaysia) Initial steps of ligand-promoted dissolution of gibbsite E. Molis, O. Barrès, H. Marchand, E. Sauzéat (Vandoeuvre, France), B. Humbert (Villers les Nancy, France) and F. Thomas (Vandoeuvre, France) Micellar kinetics of hydrolysis of hydroxamic acids in zwitterionic sulfobetaine surfactants K.K. Ghosh, A. Pandey and S. Roy (Raipur, India). Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan) Calendar Author Index Subject Index		44.
Y. Yamada, T. Nakano, K. Yamada, T. Matsuo and S. Yamada (Fukuoka, Japan) Liquid drop spreading on solid surfaces at low impact speeds Y. Gu and D. Li (Edmonton, Alberta, Canada) Long-range attraction between silanated silica materials studied by an electrolyte titration with atomic force microscopy D.E. Aston and J.C. Berg (Seattle, WA, USA) The interaction of vitamin K₁ with phospholipid membranes Y. Asai (Gifu, Japan). Effects of cationic micelles on the rate of intramolecular general base-catalyzed reaction of ionized phenyl salicylate (PS⁻) with Tris(hydroxymethyl)aminomethane (Tris) M. Niyaz Khan, Z. Arifin, I.A. Wahab, S.F.M. Ali and E. Ismail (Kuala Lumpur, Malaysia) Initial steps of ligand-promoted dissolution of gibbsite E. Molis, O. Barrès, H. Marchand, E. Sauzéat (Vandoeuvre, France), B. Humbert (Villers les Nancy, France) and F. Thomas (Vandoeuvre, France). Micellar kinetics of hydrolysis of hydroxamic acids in zwitterionic sulfobetaine surfactants K.K. Ghosh, A. Pandey and S. Roy (Raipur, India). Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan) Calendar Author Index Subject Index		
Liquid drop spreading on solid surfaces at low impact speeds Y. Gu and D. Li (Edmonton, Alberta, Canada) Long-range attraction between silanated silica materials studied by an electrolyte titration with atomic force microscopy D.E. Aston and J.C. Berg (Seattle, WA, USA) The interaction of vitamin K₁ with phospholipid membranes Y. Asai (Gifu, Japan). Effects of cationic micelles on the rate of intramolecular general base-catalyzed reaction of ionized phenyl salicylate (PS⁻) with Tris(hydroxymethyl)aminomethane (Tris) M. Niyaz Khan, Z. Arifin, I.A. Wahab, S.F.M. Ali and E. Ismail (Kuala Lumpur, Malaysia) Initial steps of ligand-promoted dissolution of gibbsite E. Molis, O. Barrès, H. Marchand, E. Sauzéat (Vandoeuvre, France), B. Humbert (Villers les Nancy, France) and F. Thomas (Vandoeuvre, France). Micellar kinetics of hydrolysis of hydroxamic acids in zwitterionic sulfobetaine surfactants K.K. Ghosh, A. Pandey and S. Roy (Raipur, India). Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan) Calendar Author Index Subject Index		233
Y. Gu and D. Li (Edmonton, Alberta, Canada) Long-range attraction between silanated silica materials studied by an electrolyte titration with atomic force microscopy D.E. Aston and J.C. Berg (Seattle, WA, USA) The interaction of vitamin K₁ with phospholipid membranes Y. Asai (Gifu, Japan). Effects of cationic micelles on the rate of intramolecular general base-catalyzed reaction of ionized phenyl salicylate (PS⁻) with Tris(hydroxymethyl)aminomethane (Tris) M. Niyaz Khan, Z. Arifin, I.A. Wahab, S.F.M. Ali and E. Ismail (Kuala Lumpur, Malaysia) Initial steps of ligand-promoted dissolution of gibbsite E. Molis, O. Barrès, H. Marchand, E. Sauzéat (Vandoeuvre, France), B. Humbert (Villers les Nancy, France) and F. Thomas (Vandoeuvre, France). Micellar kinetics of hydrolysis of hydroxamic acids in zwitterionic sulfobetaine surfactants K.K. Ghosh, A. Pandey and S. Roy (Raipur, India). Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan) Calendar Author Index Subject Index		
D.E. Aston and J.C. Berg (Seattle, WA, USA). The interaction of vitamin K ₁ with phospholipid membranes Y. Asai (Gifu, Japan). Effects of cationic micelles on the rate of intramolecular general base-catalyzed reaction of ionized phenyl salicylate (PS ⁻) with Tris(hydroxymethyl)aminomethane (Tris) M. Niyaz Khan, Z. Arifin, I.A. Wahab, S.F.M. Ali and E. Ismail (Kuala Lumpur, Malaysia). Initial steps of ligand-promoted dissolution of gibbsite E. Molis, O. Barrès, H. Marchand, E. Sauzéat (Vandoeuvre, France), B. Humbert (Villers les Nancy, France) and F. Thomas (Vandoeuvre, France). Micellar kinetics of hydrolysis of hydroxamic acids in zwitterionic sulfobetaine surfactants K.K. Ghosh, A. Pandey and S. Roy (Raipur, India). Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan) Calendar Author Index Subject Index.		239
The interaction of vitamin K ₁ with phospholipid membranes Y. Asai (Gifu, Japan). Effects of cationic micelles on the rate of intramolecular general base-catalyzed reaction of ionized phenyl salicylate (PS ⁻) with Tris(hydroxymethyl)aminomethane (Tris) M. Niyaz Khan, Z. Arifin, I.A. Wahab, S.F.M. Ali and E. Ismail (Kuala Lumpur, Malaysia). Initial steps of ligand-promoted dissolution of gibbsite E. Molis, O. Barrès, H. Marchand, E. Sauzéat (Vandoeuvre, France), B. Humbert (Villers les Nancy, France) and F. Thomas (Vandoeuvre, France). Micellar kinetics of hydrolysis of hydroxamic acids in zwitterionic sulfobetaine surfactants K.K. Ghosh, A. Pandey and S. Roy (Raipur, India). Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan). Calendar Author Index. Subject Index.	Long-range attraction between silanated silica materials studied by an electrolyte titration with atomic force microscopy	
Y. Asai (Gifu, Japan). Effects of cationic micelles on the rate of intramolecular general base-catalyzed reaction of ionized phenyl salicylate (PS ⁻) with Tris(hydroxymethyl)aminomethane (Tris) M. Niyaz Khan, Z. Arifin, I.A. Wahab, S.F.M. Ali and E. Ismail (Kuala Lumpur, Malaysia) Initial steps of ligand-promoted dissolution of gibbsite E. Molis, O. Barrès, H. Marchand, E. Sauzéat (Vandoeuvre, France), B. Humbert (Villers les Nancy, France) and F. Thomas (Vandoeuvre, France). Micellar kinetics of hydrolysis of hydroxamic acids in zwitterionic sulfobetaine surfactants K.K. Ghosh, A. Pandey and S. Roy (Raipur, India). Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan) Calendar Author Index. Subject Index.	D.E. Aston and J.C. Berg (Seattle, WA, USA)	247
Effects of cationic micelles on the rate of intramolecular general base-catalyzed reaction of ionized phenyl salicylate (PS ⁻) with Tris(hydroxymethyl)aminomethane (Tris) M. Niyaz Khan, Z. Arifin, I.A. Wahab, S.F.M. Ali and E. Ismail (Kuala Lumpur, Malaysia) Initial steps of ligand-promoted dissolution of gibbsite E. Molis, O. Barrès, H. Marchand, E. Sauzéat (Vandoeuvre, France), B. Humbert (Villers les Nancy, France) and F. Thomas (Vandoeuvre, France) Micellar kinetics of hydrolysis of hydroxamic acids in zwitterionic sulfobetaine surfactants K.K. Ghosh, A. Pandey and S. Roy (Raipur, India) Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan) Calendar Author Index Subject Index	The interaction of vitamin K_1 with phospholipid membranes	
with Tris(hydroxymethyl)aminomethane (Tris) M. Niyaz Khan, Z. Arifin, I.A. Wahab, S.F.M. Ali and E. Ismail (Kuala Lumpur, Malaysia). Initial steps of ligand-promoted dissolution of gibbsite E. Molis, O. Barrès, H. Marchand, E. Sauzéat (Vandoeuvre, France), B. Humbert (Villers les Nancy, France) and F. Thomas (Vandoeuvre, France). Micellar kinetics of hydrolysis of hydroxamic acids in zwitterionic sulfobetaine surfactants K.K. Ghosh, A. Pandey and S. Roy (Raipur, India). Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan) Calendar Author Index Subject Index.		265
Initial steps of ligand-promoted dissolution of gibbsite E. Molis, O. Barrès, H. Marchand, E. Sauzéat (Vandoeuvre, France), B. Humbert (Villers les Nancy, France) and F. Thomas (Vandoeuvre, France). Micellar kinetics of hydrolysis of hydroxamic acids in zwitterionic sulfobetaine surfactants K.K. Ghosh, A. Pandey and S. Roy (Raipur, India). Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan) Calendar Author Index Subject Index.	with Tris(hydroxymethyl)aminomethane (Tris)	
E. Molis, O. Barrès, H. Marchand, E. Sauzéat (Vandoeuvre, France), B. Humbert (Villers les Nancy, France) and F. Thomas (Vandoeuvre, France). Micellar kinetics of hydrolysis of hydroxamic acids in zwitterionic sulfobetaine surfactants K.K. Ghosh, A. Pandey and S. Roy (Raipur, India). Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan). Calendar Author Index. Subject Index.		271
Thomas (Vandoeuvre, France). Micellar kinetics of hydrolysis of hydroxamic acids in zwitterionic sulfobetaine surfactants K.K. Ghosh, A. Pandey and S. Roy (Raipur, India). Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan).	1 0 1	
Micellar kinetics of hydrolysis of hydroxamic acids in zwitterionic sulfobetaine surfactants K.K. Ghosh, A. Pandey and S. Roy (Raipur, India). Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan) Calendar Author Index Subject Index		
K.K. Ghosh, A. Pandey and S. Roy (Raipur, India). Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan) Calendar Author Index Subject Index		283
Hydrothermal synthesis of β-FeO(OH) rod-like particles with uniform size distribution A. Kajiyama and T. Nakamura (Hiroshima, Japan) Calendar Author Index Subject Index		201
A. Kajiyama and T. Nakamura (Hiroshima, Japan) Calendar Author Index Subject Index		293
Calendar Author Index Subject Index		201
Author Index	A. Kajiyama and T. Nakamura (Hirosnima, Japan)	301
Subject Index.	Calendar	309
	Author Index	311
Contents of Volume 162	Subject Index.	313
Contents of volume 103	Contents of Volume 163	315

